

Using Respondus Lockdown Browser with Pearson MyLab

Last Modified on 04/14/2026 1:02 pm CDT


The quizzes and exams on the **Pearson MyLab** site require a different version of **Respondus LockDown Browser** known as **LockDown Browser OEM**, which can be downloaded from the link in the quiz on **Pearson MyLab**. You can have both applications installed on your computer — when you open a D2L quiz it will open the LSC version of **LockDown Browser**, and when you open a **MyLab** quiz it will open **LockDown Browser OEM**. Quizzes taken in **LockDown Browser OEM** may or may not use **Respondus Monitor**, depending on whether your instructor chooses to use it.

NOTE: Pearson LockDown Browser cannot be used on an iPad or Chromebook . It only works on a computer with Windows or Mac OS.

▶ Show Video Walkthrough

Installing the Pearson MyLab Version of Respondus LockDown Browser

1. Navigate to the quiz in **Pearson MyLab** through the content links in your course in D2L.
2. If the selected quiz requires **LockDown Browser**, you will see a red box at the top that says *"This test requires Pearson LockDown Browser."* Click **[Download Pearson LockDown Browser]** at the bottom of the page.



3. The **LockDown Browser OEM** file will then be downloaded. Download and run the installer, then follow the on-screen instructions to install.

NOTE: Once you have installed the **Pearson LockDown Browser**, you can click **[View a test page]** to check and make sure the browser is working before starting your quiz.

Check Your Browser

- [View a test page](#) to check your browser.
- If you do not see a Success message, download the Pearson LockDown Browser and install it.

[Download Pearson LockDown Browser](#)

Taking a Quiz Using the Pearson MyLab Version of Respondus LockDown Browser

1. Once you have installed the **LockDown Browser**, return to the quiz start page and click **[Start Test]**.

Are you ready to start?

⚠ This test requires **Pearson LockDown Browser**. Before you start, follow the instructions below to check your browser.

Test: Midterm 1 Requires Respondus Lockdown Browser
Questions: 2
Due: 08/16/23 11:59pm
Attempts: 0 of unlimited
This test **will** affect your Study Plan score.

[Start Test](#) [Cancel](#)

2. A message will pop up asking if you would like to open **LockDown Browser OEM**. Choose the option to **[Open]** the link in **LockDown Browser OEM**. Depending on your browser, the message and the exact name of the open option will be different.

Allow this site to open the ldb1 link with LockDown Browser OEM?

[Choose a different application.](#)

Always allow https://mylab.pearson.com to open ldb1 links

[Open Link](#) [Cancel](#)

Open LockDown Browser OEM?

https://mylab.pearson.com wants to open this application.

Always allow mylab.pearson.com to open links of this type in the associated app

[Open LockDown Browser OEM](#) [Cancel](#)

3. You will see another message asking *"Do you want to allow this app to make changes to your device?"* Click **[Yes]** to launch **LockDown Browser OEM**.
4. Once you have launched the **Pearson LockDown Browser**, the process for setup and starting the quiz will be the same as when using **Respondus LockDown Browser** with D2L. If your instructor has enabled **Respondus Monitor**, you will need to go through the

additional steps such as Webcam check, 360 Room Check, etc., before starting your quiz. For more information on the setup process, see the [Respondus LockDown Browser & Respondus Monitor \(https://vlac.lonestar.edu/help/respondus-lockdown-browser-and-monitor\)](https://vlac.lonestar.edu/help/respondus-lockdown-browser-and-monitor) article.

If you encounter technical issues while using the **Pearson** version of **Respondus LockDown Browser with Monitor**, see this article for information on contacting [Live Chat Help for Respondus Monitor \(https://web.respondus.com/student-help-livechat/\)](https://web.respondus.com/student-help-livechat/).

Troubleshooting and Support

If you need additional assistance, contact the **IT Service Desk** at **281.318.HELP** (4357).
